


T. 1, R. 2 W. 1st Mer.



T. 2, R. 2 W. 1st Mer.

153	154	154	155	155	155
6	5	4	3	2	1
148	152	152	151	150	149
7	8	9	10	11	12
143	148	147	146	145	144
18	17	16	15	14	13
139	142	141	141	140	139
19	20	21	22	23	24
133	138	137	136	135	134
30	29	28	27	26	25
128	132	132	131	130	129
31	32	33	34	35	36
127	127	125	125	124	123

T. 2. R. 2. W. 1. Mer

Township No. 2 - Range No. 2. West 1. Mer
Indiana

North Commenced N. from S.E. corner of T. 2. R. 2 West
of the Meridian

- 6.44 a Buck 16 ins. dia. on point of a ridge
11.00 S. Bank of Log-creek bears W. no water
26.50 S. Bank of Do " S.E. Do.
32.26 a Buck 28 ins. dia. - Flat Buck land
49.50 a B. Walnut 13 ins. dia. on S. side of a ridge
50.02 the former part on said line - This mile broken
sick land. Timber - Ash, Oak, Walnut, Sugar tree,
Hackberry, Hickory, Spice underbrush.
The trees marked by the plan

West Commenced W. from S.E. corner of T. 2. R. 2 West

- 6.12 a White Elm 18 ins. dia. on the W. bank of Log-creek
runs S. W
11.50 a Blue Ash 19 ins. dia
26.00 Log-creek bears N. W
30.00 Log-creek bears S. W
32.70 an Elm 24 ins. dia
33.50 Log-creek bears N. W.
36.09 Log-lick to a Buck 19 ins. dia. bears. S. W.
40.00 a post from which a Buckeye 9 ins. dia. bears S 44 E
10 lks. 4 and then 7 ins. dia. bears N 36 W 15 lks. dist.

Continue West

- 1.77 a Buck 30 ins. dia
9.00 a Buckeye 12 " "
22.50 run parallel with the creek below high water mark.
3 chains.
28.50 Log-lick runs North
30.06 a Buck 17 ins. dia
40.00 a post 52 lks. west of the former one corner of
Sec. No. 35 & 36 - from which a Buck 36 ins. dia

T. D. R. D. W. 1st Mer.

bears South 10 lbs. & a Buck 15 ins. dia. bears North
1 1/2 lbs. Soil & timber same as the preceding

North ^N from corner of Sec. 35 & 36. T. D. R. D. W.

- 6.68 a Buckeye 9 ins. dia
13.00 Log-lick running West
16.69 a Buck 23 ins. dia
23.60 a Buckeye 9 " "
36.00 a Blue Ash 20 ins. dia
37.30 Top of hill from 16.69. too steep to cultivate
38.00 Began to descend on short pitches
55.83 an Elm 12 ins. dia
69.76 a Sugar tree 20 ins. dia
70.15 a Buck 26 " "
80.80 a post on side of a ridge corner of Sec. No. 25. 26 &
35. 36 from which a Sugar tree 9 ins. dia. bears N 49
W 12 lbs. & another 4 ins. dia. bears S 54 E 15 lbs.
This Mile 2^d rate land. very broken. Timber - Ash,
Beech, Spruce, Elm, Buckeye, Walnut, Hickory &c.
Marked &c.

Run West from corners of Sec. 35 & 36. T. D. R. D. W.

- 07.77 a Buck 28 ins. dia
17.37 a Do 13 " "
36.00 a Poplar 30 " "
40.00 a post from which a Buck 17 ins. dia. bears
N 65 E 20 lbs. & another 24 ins. dia. bears S 46 W 30 lbs.
This is Sec. broken 2^d rate land, timber Ash, Beech
Sugar - Spice & some briars.

Continued West

- 13.6 a Poplar 48 ins. dia
16.10 a Do. 42 " "
40.00 a post 200 lbs. West of the former one, corner of
Sec. No. 34 & 35 from which a Buck 17 ins. dia. bears
S 64 W 32 lbs. & a Buck 4 ins. dia. bears N 12 E 19 lbs.

G. I. R. I. W. 1st Mer.

Soil & timber same as the preceding mile
Marked &c. by the plan

-
- 00.53 Run N. from corner of Sec. 34 & 35. T. 2. R. 2. W.
 13.00 a poplar 20 ins. dia
 36.50 Log-lick running N. W.
 55.00 an ash 40 ins. dia. on the top of a hill from the
 creek almost inaccessible
 70.00 a Blue ash 18 ins. dia
 80.00 an ash 17 " " - in a gutter.
 90.00 a post corner of Sec. No. 26, 27, 34 & 35. from which
 a Mulberry 12 ins. dia. bears West 22 lbs. & an ash
 16 ins. dia. bears N 45 E 16 lbs. - This mile exceedingly
 broken, the creek 1st rate land, ash. Sugar &c. Spice
 Marked &c.

-
- 29.92 Run West. from corner of Sec. 34 & 35. T. 2. R. 2. W.
 40.00 a Hickory 36 ins. dia
 40.00 Log-lick runs S. its average width 60 lbs. no water
 Set a post below high water mark. from which
 a Hickory 18 ins. dia. bears S 82 W. 32 lbs. & a Sycamore
 24 ins. dia. bears N 36 E 68 lbs. dist. This & section
 good 2nd rate land, level & timbered with Beech,
 Hickory, Maple, Box Elder &c.

Continued West

-
- 24.00 a Sugar tree 10 ins. dia
 33.20 a Beech 8 " "
 40.00 a post 225 lbs. West of the former one, corner
 of Sec. No. 33 & 34 standing in a run 40 lbs. wide
 runs from South, from which a Hickory 14 ins. dia
 bears N 18 E 12 lbs. & a Mulberry 5 ins. dia. bears
 S 17 W 24 lbs. dist. This is Section 2nd rate land,
 sideling ground between the creek & a large ridge.

Run N. from corner of Sec. 33 & 34. T. 2. R. 2. West

J. I. R. I. West. 1st Mer.

- 4.00 a Water course 50 lbs. wide bears S 30 E no water
 13.87 a Blue ash 36 ins. dia
 27.10 a Buck 16 ins. dia. on W. bank of above water course
 38.00 same Water course bears S 30 W
 46.85 an ash 10 ins. dia
~~58.44 a Water course bears S 30 W~~
~~58.45 an ash 10 ins. dia~~
 63.00 a Water course 10 lbs. wide bears S. E. no water
 80.00 a post corner of Sect. No. 33. 34 & 27. 28 in the
 above from which a Sugar tree 6 ins. dia. bears
 N 82 E W 61 lbs. & a Blue ash 14 ins. dia. bears
 N 75 E 33 lbs. - This mile along the sides of the
 Water-course, rich 2nd rate land, much broken, timber
 Ash, Oak, Buck, Sugar, Elm, Honey Locust &c.
 Marked by the plan.

Run West from corner of Sect. 33 & 34. J. I. R. I. W.

- 1.85 an Elm 18 ins. dia
 8.08 an Elm 30 " "
 24.10 an Ash on a ridge, very steep.
 40.00 a post from which a Dogwood 6 ins. dia. bears
 N 58 W 15 lbs. & a W. Ash 13 ins. dia. bears S 43 E 10 lbs.
 This is Sec. 1st rate land, broken &c. Timber Ash,
 Buck &c. - some Spice bush.

Continued West

- 1.00 a Buck 16 ins. dia
 20.32 a Do. 30 " "
 40.00 a post 2.17 lbs. West of the former one, corner of
 Sect. No. 32 & 33 over a small branch of Hunt's
 Creek, or Little Indian, from which a Blue Ash
 tree 18 ins. dia. bears N 42 E W 5 lbs. & a Buckeye
 10 ins. dia. bears N 1 E 19 lbs. This is Section
 very broken 2nd rate. timber Ash. Buck &c. - some
 Spice bush.

Run North from corner of Sec. 32 & 33. T. 2. R. 2. W.

16.11 an Elm 13 ins. dia

37.72 a Hickory 10 " "

51.24 an Ash 14 " "

79.77 a Beech 12 " "

10.00 a post corner of Sec. No. 32, 33, 28 & 29. from which a Beech 11 ins. dia. bears S 27° E 11 lbs. & a Beech 6 ins. dia. bears N 74° W 20 lbs. dist. This mile much broken & late land, Timber - Beech, Ash & some spice brush. Marked the trees by the plan.

Run W. from corner of Sec. 32 & 33. T. 2. R. 2. W.

6.51 an Elm 28 ins. dia

15.25 a Beech 30 " " on a ridge

27.29 an Elm 12 " "

40.00 a post on the side of a ridge from which a Sugar tree 15 ins. dia. bears S 65° W 7 lbs. & a Sugar tree 8 ins. dia. bears N 26° E 31 lbs. This is sec. 2 late land & very broken. Timber - Ash, Sugar-tree, Beech &c.

Continued West

5.35 a White Oak tree 13 ins. dia

16.63 a Blue Ash " 15 " "

26.50 a Blue Ash " 13 " "

33.00 a White Oak " 42 " "

40.00 a post 20° lbs. West of the former one, from which a Hickory 14 ins. dia. bears S 27° W 21 lbs. & a Dogwood 6 ins. dia. bears N 41° E 7 lbs.

This is sec. the soil good & timber like the preceding —

Run West, from corner of Sec. 31 & 32. T. 2. R. 2. W.

1.65 a Lyrum 10 ins. dia

7.79 a Blue Ash 10 " "

23.47 a Blue Ash 12 " "

40.00 a post from which a Horn 8 ins. dia. bears

T. I. R. 2. W. 1st Mer.

To 2 1/2 W 30 Mrs. 400 Ash 13 ins. dia. bears N 45 W 22 Mrs.
 Dote land much broken Timber, Beech, Lyrus, Elm,
 Hickory, ash, & some Spice Brush.

Continued West

- 6.65 To a Beech 14 ins. dia
 12.47 To a Do 12 " "
 18.60 Plumb-lick at the head of an Island 200 Mrs. wide,
 28.58 bears South, little water
 any ash 48 ins. dia.
 48.08 The foot corner of T. I. R. 2. The soil & timber
 like the preceding

Run N. from corner of Sec. 31 & 32. T. I. R. 2. W.

- 4.57 To a Beech 24 ins. dia
 40.24 To a Red Oak 13 ins. dia
 48.57 To a Beech 16 " "
 76.22 To a Lyrus 24 " "
 80.00 a foot corner of Sec. No. 31. 32. 29 & 30. from which
 a Beech 5 ins. dia. bears S 11 E 14 Mrs. & a Beech 4 ins.
 dia. bears N 32 W 15 Mrs. dist. This mile very much
 broken. Dote land, Beech, Sugar, Ash &c, some Spice
 brush. Marked the trees by the plan.

Run West from corner of Sec. 29, 30, 31 & 32. T. I. R. 2. W.

- 12.82 To a Red Oak 18 ins. dia
 24.48 To a Poplar 16 " "
 36.50 E. fork of Plumb-lick 15 Mrs. wide D. W. little water
 40.00 a foot. from which a Sugar tree 11 ins. dia. bears
 N 56 E 22 Mrs. & a Beech 11 ins. dia. bears S 84 W 28 Mrs.
 This 1/2 section very much broken. Timber Ash, Oak,
 Elm, Sugar-tree, Hickory &c.

Continued West

- 6.64 To a White Oak 14 ins. dia
 17.58 To a Black Walnut 16 ins. dia
 23.00 The branch of Plumb-lick 35 Mrs. wide runs South

48.29 Intersected the line between R. 243. 10.28 ^{As. the} North of the 5 mile post corner of Sec. No. 30 & 31. This is section tremendous hills or mountains State, the surface in many places covered with stones, Timber ash, Oak, Elm, Beech &c. Some Spice Bush & Prickly ash, from the post a Sugar tree 5 ins. dia. bears S 45° W 4 lbs. dist & a Beech 12 ins. dia. bears N 22° E 35 lbs. dist.

79.30 Run random E. from corner of 30.31 & 29.32, 6 lbs. South

79.48 Run E. from corners of 28.29. 32 & 33. 40 lbs. N.

80.86 Run E. from corners of 27.28. 33 & 34. 36 lbs. N.

81.50 Run E. from corners of 26.27. 34 & 35. 35 lbs. N.

80.28 Run E. from corners of 25 & 26. 35 & 36. 87 lbs. South

Commenced N. from corner of 25 & 36. J. D. R. D. W.

31.00 Descending to the creek bears S. W. from the post. no water

42.50 Entered the creek bears S. W. no water

50.55 a Buckeye 10 ins. dia. on W. bank of the creek.

55.05 a Beech 24 ins. dia.

80.00 a post, corner of Sec. No. 24 & 25-32 lbs. N. of the former one, from which a Beech a former witness tree, 18 ins. dia. bears S 22° W 24 lbs. & a Beech 6 ins. dia. bears N 31° E 19 lbs. dist. This mile good 2^d rate land, large high ridges, proper for the production of small grain, Timber, Oak, Sugar, Beech, Elm, Gum, Spice Bush & P. Oak. Mark the trees by the plan

Run W. from corner of Sec. 25 & 36. J. D. R. D.

19.56 an Elm tree 30 ins. dia. on W. side of a great hill

32.00 Plant- like 70 lbs. wide, bears South, no water
On West side crooked run

40.12 a post from which a Sugar tree 8 ins. dia. bears N 37° W 21 lbs. & a Do. 14 ins. dia. bears S 7° E 13½ lbs.

This is Sec. good 2^d rate land, with abundance of fine Timber

G. I. R. I. W. 1st Mer.

Continued West

- 17.98 a Blue Ash 28 ins. dia.
 17.84 a Honey Locust 24 " "
 19.44 a Water course 15 lbs. wide bears S.E. no water
 21.41 a ^{B.}Walnut 36 ins. dia.
 32.33 a Sugar tree 6 " "
 40.26 The post corner of Sect. No. 25 & 36. 35 & 36 - This
 2^d Sec. much broken soil & timber-as the preceding

Run North from corner of Sect. No. 25. 26 & 35. 36
 Town 2. Range 2 West

- 16.53 a Blue Ash 20 ins. dia.
 33.68 a White Oak 13 " "
 37.63 a Hickory 13 " "
 55.85 a Beech 24 " "
 65.66 East fork of a Lynx 20 ins. dia.
 80.00 a post corner of Sect. No. 23. 24. 25 & 26, from
 which a Sugar tree 10 ins. dia. bears N 38° W 5 lbs.
 & another Sugar tree 10 " " " S 84° E 9 lbs.
 This mile very hilly good 2^d rate land. Timber
 ash. Oak Walnut Sugar tree Beech. Elm & Buckeye
 Spice & prickly ash. Marked the trees by the plan

Run West from corner of Sect. No. 25. 26 & 35.
 36. G. I. R. I. W.

- 29.68 a Hickory tree 14 ins. dia.
 32.17 a Hickory tree 16 " "
 40.74 a post on South side of a tremendous hill
 from which a Sugar tree 6 ins. dia. bears N 72° W
 9 lbs. dist. & an Elm 14 ins. dia. bears S 39° E 16½ lbs.
 This 2^d Section very hilly 2^d rate land, Timber
 ash. Oak. Beech. Sugar tree. Walnut &c. much
 Spice brush & prickly ash.

Continued West

- 6.64 a deep gutter bears N. no water

- 30.14 a deep gutter bears S. no water
40.70 the post corner of Sect. 26. 27. 34 & 35. This
is section over very mountainous land. Soil and
timber the same as the preceding

Run N. from corner of Sect. 34. 35. & 26. 27. T. 2. R. 2. W.

- 13.89 a Buck 24 ins. dia. - on the N. side of a hill
15.18 The bottom of a deep gutter bears East
29.34 a Blue Ash 24 ins. dia.
30.00 a Beech tree 12 ins. dia. marked on 4 sides
corner of Sect. No. 22. 23. 26 & 27 - This mile
one uniform continuation of ridges & deep gutters
good 2^d rate land, timber - Ash, Oak, Elm, Sugar
Walnut, Locust - Spice brush &c.
Marked the trees by the plan

Run W. from corner of Sect. 26. 27. 34 & 35. T. 2. R. 2. W.

- 14.25 an Ash 16 ins. dia.
36.00 a White Oak 14 ins. dia.
40.43 a post from which a Sugar tree 10 ins. dia. bears
S 39 W 22 lbs. & a Sugar tree 6 ins. dia. bears N 29 E
27 lbs. dist. This is Sec. very broken 2^d rate land.
Ash, Oak, Elm, Sugar tree, Beech &c. Spice &
Briers - Marked the trees by the plan

Continued West

- 4.52 a White Oak 14 ins. dia. On the W. side of a large hill
10.89 a water course 14 lbs. wide, bears S. W. no water
13.64 a Sassafras tree 15 ins. dia. On side of a hill
40.40 post between Sect. 27. 28. 33 & 34. This is section
the Soil & Timber the same as the preceding

Commenced North from corners of Sect. No. 27.
28. 33 & 34 T. 2. R. 2 West

- 1.50 Begin to rise a hill
20.00 Rose the Hill

S. I. R. J. W. 1st Mer

- 30.33 a Sugar tree 30 ins. dia
 42.90 a Poplar 24 ins. dia. on the N. side of a steep hill
 47.09 an Ash 26 " " on a ridge
 50.00 a post corner of Sect. No. 21. 22. 27 & 28. from
 which a Hickory 11 ins. dia. bears S 26 E 15 lbs.
 & a White Oak 13 ins. dia. bears N 61 W 47 lbs.
 This Mile all ridges & gutters, Private land.
 timber Ash, Oak, Elm, Beech, Sugar tree, Honey
 Locust & Spice brush - No. by the plan.
-

- West from corners of Sect. No. 27. 28. 33 & 34.
 15.10 a Black Locust 15 ins. dia.
 22.42 an Elm 10 ins. dia
 27.25 a Beech 15 " "
 39.74 a post from which a Beech 7 ins. dia. bears S 40 W
 18 lbs. dist & a Sycamore tree 16 ins. dia. bears N 67 E 5 lbs.
 (Much broken Private land). Ash, Oak, Elm, Beech,
 & Sugar tree timber.)
-

Continue West.

- 12.48 a Sugar tree 10 ins. dia
 39.75 the post. corners of Sect. 28. 29. 32 & 33. This
 1/2 Section over soil & timber as the preceding mile
-

- Thence North from corner of Sect. 28. 29. 32 & 33
 4.62 a Beech 12 ins. dia
 31.08 a Hickory 12 " "
 44.79 a Sugar tree 9 " "
 59.50 a White Oak 24 " "
 50.00 a post corner of Sect. No. 20. 21. 28 & 29. from which
 a Beech 9 ins. dia. bears N 66 E 26 lbs. dist. & a
 Beech 5 ins. dia. bears N 63 W 14 lbs. dist.
 This Mile broken Private land. Ash, Beech, Sugar
 tree, timber. Marked & No. by the plan
-

Thence W. from corners of Sect. 28. 29. 32 & 33

- 28.85 a White Ash 14 ins. dia
 39.65 a post, from which a Sugar tree 14 ins. dia. bears
 S 71 E 24 lbs. dist. 4 and Ironwood 5 ins. dia. bears
 N 62 1/2 W 28 lbs. dist. This is sec. much broken,
 ridges & deep gullies, but no water, I rate land
 Timber 1 Beech & Sugar tree

Continued West

- 19.50 a White Walnut 14 ins. dia
 22.25 a do do. 14 " "
 35.86 a Sugar tree 9 " "
 39.67 a post. corners of Sect. No. 29. 30. 31 & 32. This
 is sec. the soil & timber, same as the preceding mile

Thence North from corner of Sect. 29. 30. 31 & 32

- 19.86 a Hickory tree 18 ins. dia
 39.37 a do " 16 " "
 67.88 a Poplar " 24 " "
 80.00 a Beech 13 ins. dia. corner of Sect. No. 19. 20.
 29 & 30. This mile exceedingly broken I rate land,
 Beech & Sugar tree, with Spruce under growth

Thence W. from corners of Sections No. 19. 20. 29.
 & 30. S. I. R. D. West

- 7.44 a Beech 13 ins. dia
 12.50 a Lyrus tree 13 ins. dia. on the West bank of
 the E. branch of Plum-lick creek 30 lbs. wide,
 runs South West
 19.30 a Sugar tree 12 ins. dia
 37.25 a do do. 10 " "
 40.00 a post on a high ridge from which a Hickory
 13 ins. dia. bears N 71 W 11 lbs. & a Hickory 16 ins. dia
 bears S 3 W 28 lbs. dist. Much broken. I rate land.
 timber Ash, Oak, Elm, Beech, Sugar tree, - much
 Spruce & other brush.

J. D. R. I. W. 1st Me.

Continued West

1. 21 a Hickory 12 ins. dia
 10.50 crossed Plumt-lick creek 30 lbs. wide
 23.70 a Hickory 12 ins. dia
 24.00 another 14 " "
 48.69 Intersected the West Boundary of J. D. R. I.
 9.00 lbs. North of the 4 Mile post - Fixed a post
 corner of Sect. No. 19 & 36 - from which an Elm
 tree 12 ins. dia. bears N 51 W 10 lbs. & an Elm
 tree 14 " " " S 26 E 32 lbs. dist.
 Gentle ascent & descents, a variety of timber as
 in the preceding mile

79.30	East on Random line fell 76 lbs. North
80.30	Do. " " " " 81 " South
79.50	Do. " " " " 89 " "
80.60	Do. " " " " 10 " "
80.30	Do. " " " " 60 " "

Thence North from corner of Sect. 24 & 25

- 4.51 an ash 26 ins. dia
 26.76 a Black Walnut 18 ins. dia
 36.50 Branch of Log-lick 60 lbs. wide, bears S.E. no water
 40.08 a Sugar tree 9 ins. dia
 55.00 Rose the Mill
 59.23 a Beech 18 ins. dia
 60.25 a deep gutter bears East no water
 78.50 another bears East no water
 80.00 a post 24 lbs. North of the old post. a Beech
 15 ins. dia. bears N 82 W 43 lbs. & a Spruce 22 ins
 dia. bears N 74 E 30 lbs. dist. Over-exceedingly broken
 land & water. Ash, Oak, Beech, Sugar tree, & Walnut
 with Spice under growth

Ran West from corner of Sect. 24 & 25. J. D. R. I. W.

- 24.25 a Beech 13 ins. dia. on the West bank of a branch

S. J. R. 2. W. 1st Mer.

- 33.18 of Log-lick 50 lbs. wide, runs South
 a Hickory 7 ins. dia
 40.15 a post, from which a Red Oak 18 ins. dia. bears
 N 17 12 lbs. & a Blue Ash 9 ins. dia. bears S 26 E
 10 lbs. dist. This is section 2nd rate land, much broken
 with the creek hills. timber Oak, Buck, Oak, Sugar &c.

Continued West

- 00.57 a Hackberry 7 ins. dia
 6.44 a Sugar tree 13 " "
 11.15 a Blue Ash 17 " "
 26.50 another branch of Loglick 40 lbs. wide, bears S.E.
 40.18 the post corner of Sect. No. 23. 24. 25 & 26
 This is section similar to the preceding

 Run North from the corner of Sect. No. 23. 24. 25 &
 26. S. J. R. 2. West

- 00.54 an oak 24 ins. dia
 4.93 a Buckeye 7 " "
 18.00 a fork of Loglick 50 lbs. wide, bears S 35 E
 24.78 a Sugar tree 15 ins. dia
 36.70 a Red Oak 24 " "
 50.00 Post corner of Sect. No. 13. 14. 23 & 24 - from
 which a Buck 14 ins. dia. bears S 25 W 24 lbs. &
 another Do. 18 " " " N 50 E 27 lbs. dist.
 This mile much broken, 2nd rate land, Timber
 Oak Oak &c. Marked &c

 Run West from corner of Section No. 23. 24. 25.
 & 26. S. J. R. 2 West

- 14.05 a Buck 7 ins. dia
 17.57 a Do 6 " "
 18.85 a Spruce 14 " "
 40.30 a post, from which a Buck 12 ins. dia. bears
 N 49 E 14 lbs. & a Hickory 6 ins. dia. bears N 17 W 22 lbs.
 This is mile 2nd rate land, much broken, Timber Oak &c

T. T. R. D. W. 1st Mer.

Oak, Elm Sugar tree Hickory &c.

Continue West

- 2.58 a Buck 7 ins. dia
 10.59 a Do 15 " "
 16.28 a Do 6 " "
 40.33 the Buck tree corner of Sec. No. 22, 23, 26 & 27.
 This 1/2 sec. the soil & timber the same as the preceding

Run N. from corner of Sec. No. 22, 23, 26 & 27.

- 6.56 a Sugar tree 30 ins. dia
 25.50 a Water course 50 fms. wide, bears E. no water
 41.20 a Buck 12 ins. dia - flat land.
 49.50 a Water course 10 fms. wide, bears E. no water
 63.00 a Do Do 50 " " " N 56, no water
 80.00 Set a post corner of Sec. No. 14, 15, 22 & 23 from
 which a Buck 7 ins. dia. bears S 40 W 53 fms. &
 a Buck 7 ins. dia. bears N 51 E 30 fms. distant
 This mile much broken, good 2nd rate land, timber
 Oak, Oak, Buck, Elm, Sugar, Walnut, Hickory,
 Mulberry &c. Spice brush and some pines.
 Marked the trees by the plans.

Run West. from corners of Sec. No. 22, 23, 26 & 27.

- 11.62 a Sugar tree 14 ins. dia
 12.50 a Water course 10 fms. wide, bears N. no water
 34.94 a Buck 15 ins. dia
 39.75 a post from which a Buck 14 ins. dia. bears
 N 42 W 34 1/2 fms. & a Buck tree 13 ins. dia. bears
 N 47 E 39 fms. dist. This 1/2 section good 2nd rate land,
 fit for the production of small grain - Timber
 Oak, Oak, Elm, Buck, Sugar tree, Hickory &c.
 Marked the trees &c.

Continued West

- 3.50 a Buck 18 ins. dia

- 9.52 a Beech 16 ins. dia
 24.19 a Do. 24 " "
 39.76 the post corner of Sect. No. 21. 22. 27 & 28.
 This & section. Soil & timber like the preceding.

- Ran North from corner of Sect. No. 21. 22. 27 & 28
 S. 2. R. 2. West
 10.92 a Sugar tree 14 ins. dia
 51.17 a Hickory 26 " "
 65.78 a White Oak 30 " "
 80.00 a post. corner of Sect. No. 15. 16. 21 & 22, from
 which a Gum 13 ins. dia. bears S 60 W 69 lbs. &
 a White Oak 14 " " " N 82 E 75 " dist
 This mile good I rate land, moderate ridges with
 small gutters between, all bearing East. no water,
 Timber Oak, Ash, Sugar, Beech, Hickory, Gum &c.
 Spice hazel & Briers. Marked the trees &c.

- Ran West from corners of Sect. No. 21. 22. 27 & 28
 Town 2, R. 2. West
 6.68 a Sugar 11 ins. dia
 8.50 an Ash 16 " "
 40.15 a post. from which a White Oak tree 12 ins. dia.
 bears S 37 W 18 lbs. dist. & an Ash 19 ins. dia. bears
 N 34 E 36 lbs. dist. This & section fit for cultivation
 I rate land, timber Beech, Ash, Oak, Elm, Sugar, Lign &c.

- Continued West
 27.56 a Beech 12 ins. dia
 40.18 the post corner of Sect. No. 20. 21. 28 & 29
 Soil & timber same as the preceding

- Ran North from corner of Sect. No. 20. 21. 28 & 29
 21.25 an Ash 13 ins. dia
 29.30 the East branch of Plum-b-lick 10 lbs. wide, bears N. W.
 42.50 an Ash 16 ins. dia.

J. D. R. 2. W. 1st Mer.

- 53.50 a Hickory 10 ins. dia. on North bank, on another branch of the E. fork of Plum-b-lick 15 lbs. wide runs S. W.
- 72.72 a White Oak 23 ins. dia. a Red Oak 13 ins. dia. & a White Oak 18 ins. dia. North of it.
- 80.00 a post corner of Sect. No. 20. 21. 16 & 17 from which a Dogwood 5 ins. dia. bears S 12 E 7 lbs. & a White Oak 22 ins. dia. bears N 6 E 11 24 lbs. dist. This mile good 3rd rate land. the North part timbered with Hickory, White & Red Oak, Dogwood, & the South part more Beechy — Marked &c.

Plan West. from corner of Sect. No. 20. 21. 28 & 29

- 2.84 a White Oak tree 24 ins. dia
- 12.00 a Hickory tree 12 " "
- 26.25 a Black Walnut 12 " "
- 39.65 a post from which a Hickory 10 ins. dia. bears S 27 E 15 lbs. & a White Oak 30 ins. dia. bears N 27 W 14 lbs. dist. This is Sec. 3rd rate. much broken. timber Oak, Ash, Elm, Beech, Sugar tree &c

Continued West

- 5.67 a Blue Ash 10 ins. dia
- 14.25 a White Walnut 12 " "
- 27.03 an Elm 7 " "
- 39.68 the Beech corner of Sect. No. 19. 20. 29 & 30. This is Sec. much broken. Soil & timber same as the preceding.

Plan N. from corner of Sect. No. 19. 20. 29 & 30.

J. D. R. 2 West of Miami

- 12.00 E. Branch of Plum-b-lick runs W. 20 lbs. wide, no water.
- 14.45 a Honey Locust 14 ins. dia
- 20.60 an Ash 11 ins. dia
- 32.22 a White Oak 13 ins. dia
- 80.00 a post corner of Sect. No. 17. 18. 19 & 20. from which a Beech 26 ins. dia. bears S 21 E 18 lbs. dist.

S. I. R. I. W. 1st Mer.

139

See Dogwood 4 ins. dia. bears N 52 W 8 lks. dist.
This Mile broken. South part uncommonly broken
3rd rate land. Buck, Hickory, & White Oak timber.
Marked &c.

Run West from corner of Sect. No. 17, 18, 19 & 20

- 10.74 a Buck 10 ins. dia
- 16.22 a Do. 16 " "
- 26.66 a Sugar tree 13 " "
- 40.00 a Buck notched 3 ins. dia. This is Sec. 3rd rate
broken land, fit for cultivation. Timber, Buck
Oak Hickory &c.

Continued West

- 16.45 a White Oak 24 ins. dia
- 32.27 an Oak 12 " "
- 33.58 a Black Walnut 14 ins. dia
- 48.00 Intersected the West line of the Town. 7.36 lks. E.
of the 3 mile post. Fixed a stake at corner of
Sect. No. 18 & 19 from which a Hickory 18 ins. dia
bears S 56 W 17 lks. & an Oak 5 ins. dia. bears S 70 E
29 lks. dist. - This is section like the preceding
Marked &c.

- 80.00 Run Random line E. from corner of 17, 18, 19 & 20
- 79.60 Run do do E " " of 16, 17, 20, 21. post 19. S.
- 79.40 Run E. from 15, 16, 21, 22. post 27 South
- 81.02 Run E. from 14, 15, 22, 23 " 15 "
- 81.60 Run E. from 13, 14, 23, 24 " 10 "

Run West from corner of Sect. No. 13 & 24

- 1.25 a Buck 12 ins. dia
- 19.83 a Do. 13 " "
- 30.16 a W. Oak 30 " "
- 40.55 a post. from which a Buck 12 ins. dia. bears N 76
7 lks. & a Buck 13 ins. dia. bears S 7 W 36 lks. dist.

S. I. N. I. N. 1st Mer.Broken Buck land 3^d rate

Continue West

- 3.11 a Poplar tree 12 ins. dia
 4.13 a White Oak 36 " "
 28.00 a fork of Log-lick 20 hrs. wide runs S. no water
 40.60 The post corner of Sect. No. 13. 14. 23 & 24. The soil
 & timber of this section like the preceding

Run North from corner of Sect. No. 13. 14. 23 & 24
 Town 2 Range 2 West

- 9.22 an Ash 13 ins. dia
 35.00 a Birch 13 " "
 49.14 a Do. 15 " "
 53.50 N. Bank of a branch of Log-lick runs N to E 20 hrs. wide
 80.00 a post corner of Sect. No. 11. 12. 13 & 14 from which
 a Sugar tree 12 ins. dia. bears N 79° E 12 hrs. & a Birch
 18 ins. dia. bears N 55° E 27 hrs. This mile much
 broken, deep gutters & steep ridges Timber Ash. Oak
 Birch. Sugar tree. &c. 3^d rate land.

Run West, from corner of Sect. 13. 14. 23 & 24

- 12.33 a White Oak 42 ins. dia
 33.17 a White Oak 6 " "
 40.51 a post, from which a White Oak 24 ins. dia. bears
 N 52° E 30 hrs. & a Hickory 8 ins. dia. bears S 52° W
 5 hrs. This & sec. broken 3^d rate land, timber Birch
 White Oak. Sugar tree &c

Continue West

- 14.51 a Branch of Log-lick 30 hrs. wide, runs S. E
 37.88 a Gum 10 ins. dia
 40.54 The post corner of Sect. No. 14. 15. 22 & 23.
 This & section like the preceding

Run North from corner of Sect. No. 14. 15. 22 & 23

- 6.56 a Dogwood 6 ins. dia
 8.42 a Buck 14 " "
 25.30 a Buckeye 8 " "
 35.00 a small branch of Log-bush runs East
 50.00 a post, corner of Sect. No. 10. 11. 14 & 15. from which
 a Dogwood 5 ins. dia. bears N 23 W 5 lbs. dist.
 & a Do. 4 " " " S 45 E 16 " "
 This mile gentle ridges, except at the branch
 where they are high & steep Land D. rate.

- Run West from corner of Sect. 14. 15. 22 & 23.
 13.46 an ash tree 12 ins. dia
 32.24 a White Oak 12 " "
 39.70 an Elm tree 8 " " — This is sec. over
 D. rate land, gentle ridges & descents. Timber
 ash Oak, Buck Elm &c.

Continued West

- 14.54 a White Oak 18 ins. dia
 22.30 an ash 12 " "
 27.75 a Hickory 15 " "
 39.69 The first corner of Sect. No. 15. 16. 21 & 22.
 This is sec. similar to the preceding

- North Run North between Sect 15 & 16
 12.46 a Gum 12 ins. dia
 18.45 a White Oak 12 ins. dia.
 31.00 a Red Oak 16 " "
 50.00 a post corner of Sect. 9. 10. 15 & 16 from which a
 Black or Yellow Locust 13 ins. dia. bears N 63 W
 22 lbs. dist. & a Hickory 7 ins. dia. bears S 54 E 35 lbs.
 This mile gentle ridges D. rate land, Timber Oak,
 ash, Buck, Gum &c — Marked Sec.

- Run West from corner of Sect. 15. 16. 21 & 22. S. I. R. I.
 11.72 a White Oak 26 ins. dia.

S. 2. R. 2. W. 1. N. 1. Sec.

- 19.03 a White Oak 16 ins. dia.
 25.81 a Hickory 24 " "
 39.77 an Ash 14 " "
 39.80 a post, from which an Ash 14 ins. dia. bears
 East 3 lrs. & a Hickory 4 ins. dia. bears S 69° W 17 lrs.
 This 1/2 section 3^d rate. Gentle ridges - Timber
 Oak, Hickory & Birch.

Continued West

- 1.27 a Hickory 12 ins. dia
 14.72 a White Oak 14 " "
 33.30 a Sugar tree 10 " "
 39.77 the post corner of Sect. No. 16. 17. 20 & 21

Plan North from corner of sections No. 16. 17 &
20. 21. Town 2 Range 2 West

- 3.66 a Hickory tree 6 ins. dia
 10.73 a Black Oak 30 " "
 21.53 a Sugar tree 15 " "
 48.00 a small water-course bears S. W. no water
 55.82 a Gum 14 ins. dia
 57.77 a White Oak 36 ins. dia
 80.00 a post. corner of Sect. No. 8. 9. 16 & 17. from
 which a White Oak tree 34 ins. dia. bears S 81° W
 26 lrs. & a White Oak 24 " " " N 30° W
 13 lrs. dist. This mile 2^d rate land. Timber
 Oak. Hickory. Ash. Gum &c.

Plan West from corner of Sect. 16. 17. 20 & 21

- 21.37 a Hickory 15 ins. dia
 31.00 a Sugar tree 11 " "
 40.00 a post from which a Maple 8 ins. dia. bears
 N 71° W 7 lrs. & a Dogwood 5 ins. dia. bears S 46° W
 16 lrs. dist. This is section 3^d rate land. broken
 & unfit for cultivation Timber Oak & Birch

Continued West

- 00.55 a Hickory tree 10 ins. dia.
 19.23 a Do do 17 " "
 40.00 The post corners of Sec. 17, 18, 19 & 20. This
 is the same as the preceding mile.

North Commence from corners of Sec. No. 17, 18, 19 & 20.

- 6.15 a Hickory 13 ins. dia.
 14.90 a White Oak 30 " "
 18.06 a White Oak 30 " "
 39.28 a White Oak 32 " "
 80.00 a post corner of Sec. No. 7, 8, 17 & 18 - from
 which a Hickory 12 ins. dia. bears N 8° W 37 lrs. dist.
 & a Maple 8 ins. dia. bears N 21° E 38 lrs. dist.
 Over 3 mile land, timber generally White Oak.

Thence West from corners of Sec. No. 7, 8, 17 & 18
 Town 2 Range 2 West.

- 10.50 an Ash 12 ins. dia.
 23.48 a Gum 12 " "
 35.50 a small branch bears N. W.
 40.00 a post from which a Hickory 18 ins. dia. bears
 N 3° E 22 lrs. dist. & a White Oak 16 " " "
 N 25° W 3 lrs. distant.

Continued West

- 6.29 a White Oak 18 ins. dia.
 15.40 another White Oak 12 ins. dia.
 25.00 a creek running parallel with the 15 lrs. North
 31.00 The creek 20 lrs. wide runs S. W.
 47.98 Intersected the West boundary of Town 4, 21 lrs -
 North of the 2 mile post - fixed a post between
 Sec. No. 7 & 18 from which a Beech 20 ins. dia.
 bears N 61° W 4 lrs. & a Sassafras 12 ins. dia. bears
 S 82° E 34 lrs. dist. This mile 2 mile land
 the East 1/2 level, the West part broken by the

S. I. R. I. W. 1st Mer.

creek. Timber, Ash, Oak, Poplar, Beech &c

30.03	Random Co. from corner of	10 lbs. South
79.70	Do. Co. from corner of	9 lbs. North
79.35	Do. Co. from corner of	70 lbs. South
81.10	Do. Co. from corner of	56 " South
81.00	Do. Co. from corner of	75 " South

Run N. from corner of Sec. No. 13 & 24. T. 2. R. 2 W.

16.66	To a Blue Ash 18 ins. dia
24.51	To a White Oak 44 " "
51.02	To an Ash 10 ins. dia.
60.73	To a Beech 26 " "
70.21	To a White Oak 30 ins. dia
80.00	a post. 23 lbs. N. of the old post. from which a Maple 8 ins. dia. bears S 9 W 14 lbs. & a Do. 16 ins. dia. bears N. 42 1/2 W 24 lbs. dist. Good 2 nd rate land moderate ridges Timber Ash, Oak, Elm, Beech & Sugar tree, Spice bush.

Thence N. from corner of Sec. No. 12 & 13. T. 2. R. 2 W.

19.09	To a Hickory 18 ins. dia
30.45	To a Black Oak 11 ins. dia. broken ridges
36.94	To a Black Oak 24 " "
76.57	To a Gum tree 13 " "
80.00	a post from which a Sugar tree 6 ins. dia. bears S 68 W 45 lbs. dist. & a Sugar tree 6 ins. dia. bears N 34 W 22 lbs. Over moderate ridges 2 nd rate land. Timber Oak Ash Elm Beech, Sugar tree, Spice & ash undergrowth.

Run West from corner of Sec. No. 12 & 13. T. 2. R. 2 W.

7.78	To a Beech 12 ins. dia
21.26	To a Poplar 12 " "
40.50	a post from which a Hickory 6 ins. dia. bears S 86 W 17 lbs. dist. & a B. Oak 18 ins. dia. bears N 48 E 26 lbs. dist. This is 2 nd rate land, Timber Ash, Oak, Beech & Hickory

S. D. R. D. W. 1st Mer.

Continued West.

- 19.48 To a poplar tree 9 ins. dia.
 30.50 To a Beech tree 12 " "
 39.00 Crossed a branch of Log-lick 12 hrs. wide bears S.E.
 40.50 The first corner of Sec. No. 11. 12. 13 & 14. This is Sec.
 3rd rate land, timbered like the preceding mile
-

Commenced N. from corner of Sec. No. 11. 12. 13 & 14

- 10.50 crossed a branch of Log-lick 26 hrs. wide, runs S 20° E
 39.23 To a Gum tree 8 ins. dia
 45.43 To a White Oak 32 " "
 46.54 To a Gum tree 24 " "
 47.75 To a White Oak 24 " "
 49.71 To a White Oak 36 " "
 50.00 a first corner of Sec. No. 1. 2. 11 & 12 from which a
 Beech 12 ins. dia. bears S 44° W 10 hrs. dist. & a B. Oak 18
 ins. dia. bears S 73° E 26 hrs. dist. Over gentle ridges, on
 the N. part more steep, 3rd rate land, timber - W. Oak.
 Poplar & Hickory - Marked &c.
-

Ran W. from corner of Sec. 11. 12. 13 & 14. S. D. R. D.

- 1.67 To a Beech 15 ins. dia
 10.36 To a Hickory 15 " "
 19.59 To an Elm 15 " "
 40.35 a first from which a Sugar tree 15 ins. dia. bears
 N 75° W 10 hrs. & a Beech 15 ins. dia. bears S 75° E 31 hrs.
 dist. This is Sec. 3rd rate land, timber - Ash. Oak,
 White Oak, Beech, Hickory &c.
-

Continued West

- 9.54 To a Sugar tree 14 ins. dia
 13.86 To a Hickory 10 " "
 28.47 To a Black Oak 14 " "
 28.68 To a Walnut 18 " "
 40.57 The first corner of Sec. No. 10. 11. 14 & 15 - This is
 Sec. the same as the preceding

G. D. R. D. W. 1st Mer.

Ran North from corner of Sec. 10. 11. 14 & 15. T. 2. R. 2
 13.50 a Branch of Log-lick 12 Mrs. wide, runs S. E
 14.82 a Sugar-tree 12 ins. dia
 45.53 a White Oak 48 ins. dia
 50.44 a White Oak 11 ins. dia
 63.50 a White Oak 48 ins. dia
 80.00 a post corner of Sec. No. 2. 3. 10 & 11. from
 which a White Oak tree 13 ins. dia. bears S 42 W
 32 lbs. dist. & a White Oak 14 ins. dia. bears N
 45 E 31 lbs. dist. This mile 2nd rate land, timber
 generally Oak - Marked &c.

Ran West, from corners of Sec. 10. 11. 14 & 15
 11.19 an Oak 17 ins. dia
 30.50 an Elm 32 ins. dia
 39.65 a post from which a Hickory 3 ins. dia. bears
 S 75 W 6 lbs. & a White Oak 16 ins. dia. bears N 41 E
 10 lbs. dist. This 1/2 section 2nd rate. Open woods
 Timber Oak & Beech.

Continued West

1.50 a Branch 10 lbs. wide, bears S. E
 16.62 a Gum tree 12 ins. dia
 39.65 The post corners of Sec. 9. 10. 15 & 16. This 1/2 section
 2nd rate land, very brushy, timber Oak, Beech, Gum &c.

Ran N. from corner of Sec. No. 9. 10. 15 & 16.
 12.08 a White Oak 42 ins. dia
 14.12 a Dogwood & " "
 17.36 a small Branch runs East
 25.00 a Beech 17 ins. dia
 46.74 a White Oak 24 ins. dia
 60.00 Entered good 2nd rate land, Ash & Walnut timber
 75.00 out of the rich land.
 80.00 a post corner of Sec. (No. 9. 10. 3 & 4) - from

which a Hickory 10 ins. dia. bears N 42 E 25 lbs. dist.
 & an Ash 17 ins. dia. bears N 42 E 47 lbs. dist.

This mile from the post to Cochs. 3^d rate land
 Oak timber, very bushy, with young Beech,
 Dogwoods, Maples &c. Irons 75. 2^d rate of an inferior
 quality - White Oak with brush & green briars.

Run West from corner of Sec. No. 9. 10. 15 & 16

4.62 a White Oak 12 ins. dia.

8.00 a small branch runs S. E.

19.16 a Sassafras 18 ins. dia

36.26 a White Oak 20 " "

39.85 a post from which a Maple 15 ins. dia. bears
 S 54 W 13 lbs. & a Maple 16 ins. dia. bears S 73 W
 14 lbs. dist. This 1/2 sec. 2^d rate land, generally
 Oak timber

Continued West

3.65 a Poplar 10 ins. dia

7.13 a White Oak 14 ins. dia

28.50 a small Branch runs South, above the line ap-
 -pears to be a Spring, the first I have seen in the Town

39.83 The post. corner of Sec. No. 8. 9. 16 & 17. This 1/2 sec.
 Soil & Timber same as the preceding

Run North from corner of Sec. No. 8. 9. 16 & 17
 Town 2. Range 2 West.

26.40 a White Oak 17 ins. dia

49.81 a Hickory 10 " "

58.50 a White Oak 24 " "

69.40 a White Oak 18 " "

74.66 a Black Oak 18 ins. dia. on S. side of a small
 water course bears West

80.00 a post corner of Sec. 4. 5. & 9 from which a
 Hickory 20 ins. dia. bears S 73 W 28 lbs. dist. &
 an Ash 10 " " " S 58 E 27 " "

S. D. R. D. T. 1st Mer.

This Mile level D^{rate} land. Timber Maple, Oak &c — Marked &c.

Ran W. from corner of Sec. No. 8, 9, 16 & 17.

- 5.50 a small Water course bears S. W. into Plum-b-lick
 16.52 a White Oak 24 ins. dia.
 19.00 Two small Water courses bear S. no water
 40.01 a post from which a Red Oak 10 ins. dia. bears
 S 71° W 23 lks. dist. — & a White Oak 9 " " "
 At 52 1/2 E 30 lks. distant

Continued West.

- 10.32 a White Oak 24 ins. dia
 29.26 a Black Oak 20 ins. dia
 40.00 The first corner of Sec. No. 7, 8, 17 & 18. This mile
 D^{rate} land. Timber Oak, Poplar-Logwood &c.

Ran N. from corner of Sec. No. 7, 8, 17 & 18

- 1.79 a White Oak 18 ins. dia
 13.00 a small Water course bears West
 21.00 a Buck 6 ins. dia
 34.62 a Maple 8 " "
 40.50 in the forks of a creek below the fork 20 links.
 Wide, bears West, no water
 58.16 a Buck 12 ins. dia
 78.33 a White Oak 34 ins. dia
 80.00 a post corner of Sec. No. 5, 6, 7 & 8 from which
 a White Oak 14 ins. dia. bears N 38° E 14 lks. dist.
 & another White Oak 32 ins. dia. bears S 52° W 4 lks.
 distant This Mile level D^{rate} land, generally
 Oak Timber — Marked &c.

Ran West. from corners of Sec. No. 5, 6, 7 & 8
 Town 2 ~~North~~, Range 2 West.

- 6.53 a Poplar 10 ins. dia
 17.06 a W. Oak 15. " "

- 24.22 an Elm 18 ins. dia. a small water course bears S. W.
 32.92 a White Oak 9 ins. dia. a small water course bears S. E.
 40.00 a post from which a White Oak 12 ins. dia. bears
 S 42 E 12 lbs. Va Poplar 11 ins. dia. bears N 32 W 26 lbs.

Continued / West

- 1.38 a Black Oak 13 ins. dia
 5.50 another Black Oak 18 ins. dia
 21.70 a small water course bears North
 42.40 Intersected the West Boundary of the Town
 2.24 lbs. North of the 1 mile post. — Set a
 post corner of Sec. No. 6 & 7, from which a Maple
 7 ins. dia. bears N 68 E 7 lbs. Va Maple 5 ins. dia
 bears S 65 W 10 lbs. dist. This mile 2^d rate land.
 level, but has many sink-holes — Timber
 principally tall straight Oaks.

- 80.19 Ran a random line E- from 5. 6. 7. 98. 210 lbs
 79.20 Ran E- from 4. 5. & 99 70 lbs. South
 79.60 Ran E. from 3. 4. 9 & 10 This post
 81.08 Ran E. from 2. 3. 10 & 11 26 lbs. South.
 81.10 Ran E. from 1. 2. 11 & 12 95 lbs. South.

Ran N. from Corner of Sec. 1. 12. G. I. R. I. W.

- 3.47 a White Oak 20 ins. dia
 29.84 a White Oak 30 " "
 45.06 a White Oak 16 " "
 58.93 a Hickory 13 " "
 74.85 a Do. 9 " "
 80.73 The post corner of Towns 2 & 3 R. 2.
 This Mile 3^d rate land, all ridges & deep gutters
 small White Oak timber, Hickory, Sugar tree &
 Spice & Green briars — the trees marked by the / slant

Ran W. from corner of Sec. No. 1 & 12

- 17.50 a Beech 14 ins. dia —

J. J. R. Q. W. 1st Mer.

- 40.55 a post. from which a Gum 6 ins. dia. bears S 31° W 7 hrs. dist. & a Gum 7 ins. dia. bears N 64° W 3 hrs. distant. This $\frac{1}{2}$ sec. 3rd rate land, moderate ridges
Timber Oak, Beech, Gum &c.

Continued West

- 14.70 a Black Oak 2 ins. dia
32.46 a Hickory 15 ins. dia
40.55 The post corner of Sec. 1. 2. 11 & 12. This $\frac{1}{2}$ sec.
similar to the preceding

Commenced N. from corner of Sec. 1. 2. 11 & 12

- 17.43 a White Oak 24 ins. dia
41.94 a Gum 15 ins. dia
43.90 a White Oak 32 ins. dia
68.13 a honey locust 16 ins. dia. on bank of a small
Water course bears East. no water
80.91 Intersected the N. Boundary of the Township
430 hrs. East of the former post. Here established
a post from which a White Oak tree 6 ins. dia. bears
S 71° W 12 hrs. dist. & a Sugar tree 6 ins. dia. bears
S 54° E 12 hrs. dist. This mile ridges & deep gutters
3rd rate land. Timber White Oak, Poplar & Gum
covered with saplings—

Ran W. from corner of Sec. 1. 2. 11 & 12. J. J. R. Q.

- 3.62 a White Oak 17 ins. dia
25.00 a Black Walnut 18 ins. dia
27.84 a Black Oak 18 " "
28.56 a White Oak 36 " "
40.54 a post. from which a Sugar tree 7 ins. dia.
bears N 67° W 8 hrs. dist. & a White Oak 3 ins. dia.
bears S 46° W 11 hrs. distant— This $\frac{1}{2}$ Section
2nd rate land. Oak timber

Continued West

- 2.15 an Ash 15 ins. dia
 30.08 a Black Oak 12 ins. dia
 31.40 a White Oak 36 " "
 40.56 the post corner of sec. No. 2. 3. 10 & 11
 (This 1/2 section similar to the preceding)

- Run North from corner of sec. 2. 3. 10 & 11
 7.47 a Hickory 9 ins. dia
 14.20 a Red Oak 15 ins. dia
 17.00 a Black Oak 16 " "
 26.00 a Water course 12 lbs. wide bears S.E.
 39.61 a White Oak 20 ins. dia
 79.65 Intersected the Town line 482 lbs. East of the
 former post, here fixed a stake corner of 243
 from which a White Oak 11 ins. dia. bears N 85 E
 17 lbs. dist. & a Hickory 17 ins. dia. bears S 32 W 58 lbs.
 distant This mile 2nd rate land, generally,
 White Oak, timber, saplings &c.

- Run W. from corner of sec. 2. 3. 10 & 11. S. D. R. D.
 11.25 a White Oak 32 ins. dia
 28.75 a Gum 13 ins. dia
 39.80 a post. from which a White Oak 36 ins. dia. bears
 N 31 1/2 W 38 lbs. dist. & a Gum 12 ins. dia. bears
 S 1 W 31 lbs. dist. This 1/2 section level 2nd rate land.
 Timber, Oak Gum & Hickory &c.

Continues West

- 13.03 a Red Oak 13 ins. dia
 29.70 a small Water course bears S.W.
 39.78 the post corner of sec. (No. 3. 4. 9 & 10. This 1/2
 section similar to the preceding in soil & timber

- Run N. from corner of sec. 3. 4. 9 & 10. S. D. R. D. W
 8.45 a Poplar 14 ins. dia
 32.55 a White Oak 18 ins. dia.

J. D. R. D. W. 1st Mer.

81.50 Intersected the N. Boundary. Fixed a post corner of Sect. No. 3 & 4. from which a Beech 10 ins. dia. bears S 24 W 30 lbs. & a Maple 3 ins. dia. bears S 76 E 26 lbs. This mile 3rd rate Clay land, level, Timber Oak, Gum, Hickory, Dogwood. many saplings

Run W. from corners of Sect. No. 3. 4. 9 & 10
 10.53 a Black Oak 15 ins. dia
 15.50 a small water course bears S. E
 38.20 a Hickory tree 18 ins. dia
 39.60 a post. from which a Black Walnut 12 ins. dia bears N 32 E 25 lbs. dist. & a Red Oak 8 ins. dia. bears S 3 W 6 lbs. dist. This 1/2 sect. 3rd rate land. Timber Oak, Poplar, Beech & Hickory.

Continued West,
 3.72 a Gum 10 ins. dia
 20.79 a White Oak 14 ins. dia.
 29.61 the post corner of Sect. No. 4. 5. 8 & 9
 This 1/2 section similar to the preceding

Run N. from corner of Sect. 4. 5. 8 & 9 J. D. R. D.
 8.29 a Hickory 18 ins. dia
 24.46 a White Oak 19 ins. dia.
 57.10 a White Oak 16 " "
 62.87 a White Oak 24 " "
 76.50 a small water course bears N. W.
 80.00 Intersected the N. Boundary - Set a post. from which a Beech 4 ins. dia. bears S 21 W 7 lbs. dist. & a Hickory 3 ins. dia. bears N 15 E 7 lbs. distant. This mile 2nd rate land. level & rather wet for small grain. timber Oak, Maple &c. Beech & Hickory, underbrush.

Run West from corners of Sect. No. 4. 5. 8 & 9
 5.30 a Hickory 13 ins. dia.

- 19.20 a small water course bears North
 36.76 a Black Oak 20 ins. dia.
 40.05 a post from which a Hickory 12 ins. dia. bears
 N 84 W 14 lbs. dist. & a Black Oak 18 ins. dia. bears
 N 31 E 33 lbs. dist. This $\frac{1}{2}$ Sec. level 2^d rate land.
 Timber Oak & Maple

Continued West

- 6.80 a White Oak 18 ins. dia.
 12.79 a White Oak 18 " "
 40.08 The post, corner of Sec. No. 56. 748. This $\frac{1}{2}$ section
 Soil & timber same as the preceding

Run N. from corner of Sec. No. 7. 8. 5 & 6

- 12.34 a White Oak 12 ins. dia.
 27.27 a Black Oak 30 " "
 43.06 a Hickory 6 " "
 53.22 a White Oak 18 " "
 70.45 a do. do. 36 " "
 79.17 Intersectes the N. Boundary - Set a post corner
 of Sec. No. 546. from which a Beech 12 ins. dia.
 bears N 33 E 18 lbs. dist. & a Beech 12 ins. dia. bears
 South 2 lbs. This Mile flat White Oak land,
 2^d rate

Run Mt. on Township line from corner of Sec. 546.

- 20.28 a White Oak 30 ins. dia.
 24.00 a Bear wallow & chain N.
 29.90 a White Oak 36 ins. dia.
 40.00 a post from which a White Oak 30 ins. dia. bears
 S 34 W 8 lbs. dist. & a Beech 15 ins. dia. bears N 57 E
 34 lbs. distant

Continued West

- 18.00 a creek 15 lbs. wide bears N. no water
 28.50 an aspen 14 ins. dia

G. I. R. I. E. 1st Mer.

- 36.00 a small water course bears S. no water
 40.00 a Water course 15 lbs. wide N. E no water
 41.00 a Do. Do. Do. Do.
 42.00 a Do. Do. Do. Do.
 46.00 The post standing in a water course bears S. no water corner of Sec. 6 G. I. R. 2 West, and timber Poplar, Aspen Oak & C. 3rd rate level land.

Row W. from corner of Sec. No. 445. G. I. R. 2 W.

- 2.55 the former post
 5.00 a small water course bears S. W.
 21.45 a Black Oak 14 ins. dia N
 28.50 a small water course bears West
 40.40 a post average distance from which a Hickory 10 ins dia. bears N 60 W 11 lbs. dist. & an Elm 8 ins. dia. bears N 15 E 29 lbs. dist

Continued West

- 4.29 an Oak 12 ins. dia
 11.06 a Water 10 lbs. wide bears N. E.
 24.45 a forked White Oak 48 ins. dia
 32.50 a small water course bears N.
 38.50 a White Oak 30 ins. dia.
 40.42 The corner of Sec. No. 546. This Mile 2nd rate land. Timber Oak, Hickory.

Commenced E. at the corner of Sec. 445. G. I. R. 2.

- 39.70 The average distance, set a post from which a Poplar 10 ins. dia. bears S. 23 E 27 lbs. & a Gum 12 ins. dia. bears N 20 W 24 lbs. dist. This 1/2 sec. level 2nd rate generally Oak, Gum & Hickory timber

Continued East

- 19.15 a White Oak 30 ins. dia.
 28.05 a Hickory 20 ins. dia
 38.43 a Black Oak 18 ins. dia

39.68 The post between Sec. No. 344 — This 1/2 section similar to the preceding

Ran E. from corner of Sec. No. 344. T. 2. R. 2. W.

26.25 a White Oak 36 ins. dia

27.69 a White Oak 14 " "

39.80 The average distance a post. from which a poplar 10 ins. dia. bears S 4 1/2 E 43 lbs. dist. & a White Oak 28 " " " N 50 E 7 lbs. distant

Continued E.

10.24 a Hickory 20 ins. dia.

39.81 The post corner of Sec. No. 243. This mile level clay land, 5 oak timber

Ran E. from corner of Sec. No. 243. on T. line

4.82 The 1/2 mile post

21.86 a Hickory 16 ins. dia.

40.56 The average distance, set a stake from which a Hickory 14 ins. dia. bears S 47 W 5 lbs dist. & a White Oak 20 ins. dia. bears N 2 W 26 lbs dist. This 1/2 sec. level White Oak land 2nd rate

Continued East

8.24 a Red Oak 13 ins. dia

13.17 a White Oak 14 " "

40.58 The post between Sec. No. 142. This 1/2 section the soil & timber like the preceding

Continued on Town line from corner of Sec. 142 Town 2 Range 2 West

4.30 The 5 mile post

14.12 a White Oak 12 ins. dia.

30.48 a White Oak 30 " "

39.30 a stony water course 10 lbs. wide bears N. no water

40.60 The average distance, set a post from which a

T. L. R. I. W. 1st Mer.

Black Oak 18 ins. dia. bears N 30 W 27. N. dist. 7
a White Oak 14 " " " S 64 E This 1/2 section
broken & state land. Timber Oak. Mich. Mich. some
Buck 45

Continued East

9.37 a White Oak 27 ins dia
10.65 the N.E. corner of T. L. R. 2. This 1/2 sec. similar
to the preceding— Surveyed by
Benjamin Chambers J. L.

I certify that the foregoing Transcript of
the Field notes of Township No. 9 Range No. 2
West of the 1st Mer. has been compared with the
original in this office & found to be correct
Surveyor General's office
Cincinnati, Feb. 8. 1841

W. S. G. Jones
Surveyor